

	<b>Meridian Fire Department</b>	<b>JPR#</b>	<b>P2</b>
	Driver/Operator Performance Standards	Revision Date: 5/17/2024	Standard: NFPA 1002-17: 5.2.4

<b>Description:</b>	Supplying a 1 3/4" pre-connected handline for fire attack from tank water		
<b>Conditions:</b>	<p>Given an appropriately equipped fire department pumper apparatus, objective, Officer and FF, position the apparatus to support the deployment of a 1 3/4" pre-connected hose line for fire attack from tank water.</p> <p>*Driver/Operator may use either a calculator or pump chart for reference during evolution.</p>		
<b>Time Standard:</b>	<b>N/A</b>	<b>Time Adjustments:</b>	<b>N/A</b>
		<b>Time:</b>	

<b>Competencies:</b>	<b>Pass</b>	<b>Fail</b>
1. Acknowledges order from Officer		
2. Spots apparatus as directed (Allowing for efficient hose deployment, building collapse zones, structure access, traffic hazards and placement of other key apparatus).		
3. Sets the parking brake		
4. Ensures transmission is in neutral		
5. Ensures motor is at idle		
6. Safely engages pump (Confirms engagement using speedometer and indicator lights)		
7. Exits cab		
8. Sets wheel chocks		
9. Opens <b>TANK TO PUMP</b> valve (Considers/opens recirculation valve).		
10. Confirms hose bed is clear (as appropriate) and that FF is ready for water.		
11. Opens appropriate discharge valve.		
12. Switches to <u>Pressure Control Mode</u> to provide pressure control protection.		
13. Adjusts throttle to develop and maintain desired pressure for fire stream(s).		
14. Tracks static and residual pressures appropriately		
15. Notifies CO/FF of tank level when supply hits 1/2 and 1/4 tank.		
<b><i>Application of Hydraulics</i></b>		
16. Pumps line at proper pressure		

Driver/Operator	Date:
Evaluator	Date: